

1 Identification of the substance/mixture and of the company/undertaking

· **Product identifier**

- Trade name: **Solid Wax**
- Article number: 11900, 11905
- Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the preparation: Maintenance product

· **Details of the supplier of the safety data sheet**

- Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH
Lechstrasse 28
D 90451 Nürnberg
Tel. +49(0)911-642960
Fax. +49(0)911-644456
e-mail info@akemi.de
- Information department: Laboratory
- Emergency telephone number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH
Tel. +49(0)911-64296-59
Reachable during the following office hours:
Monday – Thursday from 07:30 a.m. to 16:30 p.m.
Friday from 07:30 a.m. to 13:30 p.m.

2 Composition/information on ingredients

· **Chemical characterization: Mixtures**

- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 127-18-4	tetrachloroethylene	Xn R40; N R51/53	50-100%
EINECS: 204-825-9		H351; H411	
Index number: 602-028-00-4			

- Additional information: For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

· **Classification of the substance or mixture**



GHS08 Health hazard

H351 Suspected of causing cancer.



GHS09 Environment

H411 Toxic to aquatic life with long lasting effects.

H227 Combustible liquid.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Harmful

Limited evidence of a carcinogenic effect.



Dangerous for the environment

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

(Contd. on page 2)

Trade name: Solid Wax

(Contd. of page 1)

Label elements

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

· Code letter and hazard designation of product:



Xn Harmful
N Dangerous for the environment

· Hazard-determining components of labelling:

tetrachloroethylene

· Risk phrases:

Limited evidence of a carcinogenic effect.
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

· Safety phrases:

Keep out of the reach of children.
Do not breathe fumes
Avoid contact with skin and eyes.
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.
Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point
Wear suitable protective clothing, gloves and eye/face protection.
In case of insufficient ventilation, wear suitable respiratory equipment.
If swallowed, seek medical advice immediately and show this container or label.
Avoid release to the environment. Refer to special instructions/Safety data sheets

Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2
Fire = 2
Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *2
Fire = 2
Reactivity = 0

Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

4 First aid measures**Description of first aid measures**

· General information:

Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

If symptoms persist consult doctor.

(Contd. on page 3)

USA

Trade name: Solid Wax

(Contd. of page 2)

5 Firefighting measures

- **Extinguishing media**
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Advice for firefighters**
- Protective equipment: No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· Components with limit values that require monitoring at the workplace:


127-18-4 tetrachloroethylene

PEL	Short-term value: C 200; 300* ppm Long-term value: 100 ppm *5-min peak in any 3 hrs
REL	LFC (LOQ 0.4 ppm)
TLV	Short-term value: 685 mg/m ³ , 100 ppm Long-term value: 170 mg/m ³ , 25 ppm
BEI	

(Contd. on page 4)

Trade name: Solid Wax

(Contd. of page 3)

- Additional information: The lists that were valid during the creation were used as basis.
 - **Exposure controls**
 - Personal protective equipment:
 - General protective and hygienic measures:
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Do not inhale gases / fumes / aerosols.
 - Breathing equipment:
 - Short term filter device:
Filter A/P2
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
 - Protection of hands:
 - Preventive skin protection by use of skin-protecting agents is recommended.
 - After use of gloves apply skin-cleaning agents and skin cosmetics.
 - Akemi skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:
STOKO EMULSION (<http://www.stoko.com>)
 - Akemi skin protection recommendation for skin cleaning after product handling:
SLIG SPEZIAL (<http://www.stoko.com>)
 - Akemi skin protection agent recommendation for skin aftercare:
STOKO VITAN (<http://www.stoko.com>)
 - The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.
 - This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).
- 
Protective gloves
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 - Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - Material of gloves
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 - Penetration time of glove material
 - The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - Eye protection:
 - Goggles recommended during refilling.

(Contd. on page 5)

USA

Trade name: Solid Wax

(Contd. of page 4)

9 Physical and chemical properties**· Information on basic physical and chemical properties****· General Information****· Appearance:**

Form:	Pasty
Color:	Transparent White
Odor:	Characteristic

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	121°C (250°F)

· Flash point: > 61°C (> 142°F)**· Auto igniting:** Product is not selfigniting.**· Danger of explosion:** Product does not present an explosion hazard.**· Vapor pressure at 20°C (68°F):** 19 hPa (14 mm Hg)**· Density at 20°C (68°F):** 1.4 g/cm³ (11.683 lbs/gal)**· Solubility in / Miscibility with****Water:** Not miscible or difficult to mix.**· Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.

· Solvent content:**Organic solvents:** 70.0 %**10 Stability and reactivity****· Reactivity****· Chemical stability****· Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· Possibility of hazardous reactions

No dangerous reactions known.

· Hazardous decomposition products:

No dangerous decomposition products known.

11 Toxicological information**· Information on toxicological effects****· Acute toxicity:****· Primary irritant effect:**

· on the skin:	No irritant effect.
· on the eye:	No irritating effect.
· Sensitization:	No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

12 Ecological information**· Toxicity****· Acquatic toxicity:** No further relevant information available.

(Contd. on page 6)

Trade name: Solid Wax

(Contd. of page 5)

- **Ecotoxicological effects:**
- Remark: Toxic for fish
- **Additional ecological information:**
- General notes: Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- PBT: Not applicable.
- vPvB: Not applicable.

13 Disposal considerations

- **Waste treatment methods**
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- Recommendation: Disposal must be made according to official regulations.

14 Transport information· DOT regulations:

- Hazard class: 6.1
- Identification number: UN1897
- Packing group: III
- Proper shipping name (technical name): TETRACHLOROETHYLENE, solution
- Label: 6.1
- Remarks: Special marking with the symbol (fish and tree).

· **Land transport ADR/RID (cross-border):**

- ADR/RID class: 6.1 (T1) Toxic substances
- Danger code (Kemler): 60
- UN-Number: 1897
- Packaging group: III
- Special marking: Symbol (fish and tree)
- UN proper shipping name: 1897 TETRACHLOROETHYLENE, solution

· **Maritime transport IMDG:**

- IMDG Class: 6.1
- UN Number: 1897
- Label: 6.1

(Contd. on page 7)

Trade name: Solid Wax

(Contd. of page 6)

- **Packaging group:** III
- **EMS Number:** F-A,S-A
- **Marine pollutant:** Yes
- **Segregation groups:** Symbol (fish and tree)
- **Propper shipping name:** Liquid halogenated hydrocarbons
TETRACHLOROETHYLENE, solution

Air transport ICAO-TI and IATA-DGR:



- **ICAO/IATA Class:** 6.1
- **UN/ID Number:** 1897
- **Label:** 6.1
- **Packaging group:** III
- **Propper shipping name:** TETRACHLOROETHYLENE, solution

UN "Model Regulation":

UN1897, TETRACHLOROETHYLENE, solution, 6.1, III

- **Environmental hazards:** Product contains environmentally hazardous substances:
- **Special precautions for user:** Warning: Toxic substances

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

All ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

All ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **IARC (International Agency for Research on Cancer)**

127-18-4 tetrachloroethylene 2A

· **NTP (National Toxicology Program)**

127-18-4 tetrachloroethylene R

· **TLV (Threshold Limit Value established by ACGIH)**

127-18-4 tetrachloroethylene A3

(Contd. on page 8)

Trade name: Solid Wax

(Contd. of page 7)

· MAK (German Maximum Workplace Concentration)

127-18-4 tetrachloroethylene

3B

· NIOSH-Ca (National Institute for Occupational Safety and Health)

All ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:

Xn Harmful
N Dangerous for the environment

· Hazard-determining components of labelling:

tetrachloroethylene

· Risk phrases:

Limited evidence of a carcinogenic effect.
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

· Safety phrases:

Keep out of the reach of children.
Do not breathe fumes
Avoid contact with skin and eyes.
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.
Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point
Wear suitable protective clothing, gloves and eye/face protection.
In case of insufficient ventilation, wear suitable respiratory equipment.
If swallowed, seek medical advice immediately and show this container or label.
Avoid release to the environment. Refer to special instructions/Safety data sheets

· National regulations:· Water hazard class:

Water hazard class 3 (Self-assessment): extremely hazardous for water.

· VOC USA

980.0 g/l / 8.18 lb/gl

· Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS:

Laboratory

· Contact:

Dieter Zimmermann
Elke Hake
Fon ++49 (0)911 64296-59
@mail E.Hake@akemi.de

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

(Contd. on page 9)

Material Safety Data Sheet
acc. to ISO/DIS 11014



Printing date 02/07/2011

Reviewed on 02/07/2011

Trade name: Solid Wax

(Contd. of page 8)

ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ACGIH: American Conference of Governmental Industrial Hygienists
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)

USA